



MY DECK

PRODUCT GUIDE CATALOGUE


MY DECK PRODUCT RANGE

CONTENTS




SUNSHINE SANDS COLOUR
DECKING & EDGE BOARDS

2




HINTERLAND MIST COLOUR
DECKING & EDGE BOARDS

3



FOREST HAVEN COLOUR
DECKING & EDGE BOARDS

4



GOLDEN DUSK COLOUR
DECKING & EDGE BOARDS

5



OUTDOORSY MODULAR DECK
SUNSHINE COAST RANGE

6



CIRCULAR SAW BLADES
TOOL ACCESSORIES

8



SAW BLADES

TOOL ACCESSORIES

9



JOIST PROTECTION

TOOL ACCESSORIES

11



BITS & TIPS

TOOL ACCESSORIES

13-14



FIXINGS

TOOL ACCESSORIES

16-17



T-CLIP & PLASTIC CLIP

TOOL ACCESSORIES

17



WASHERS & NUTS, DYNABOLTS

TOOL ACCESSORIES

18



MY DECK COMPOSITE



HEAT
RESISTANCE



AUSTRALIAN OWNED
AND OPERATED




UP TO
25 YEARS WARRANTY


SUNSHINE SANDS


COMPOSITE DECKING AND EDGE



Name	Decking Board Sunshine Sands
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCDBSSHM
Profile	




Name	Edge Board Sunshine Sands
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCEBSS
Profile	




HINTERLAND MIST


COMPOSITE DECKING AND EDGE



Name	Decking Board Hinterland Mist
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCDBSSHM
Profile	




Name	Edge Board Hinterland Mist
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCEBHM
Profile	




FOREST HAVEN


COMPOSITE DECKING AND EDGE



Name	Decking Board Forest Haven
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCDBFHGD
Profile	




Name	Edge Board Forest Haven
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCEBFH
Profile	




GOLDEN DUSK


COMPOSITE DECKING AND EDGE



Name	Decking Board Golden Dusk
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCDBFHGD
Profile	



Name	Edge Board Golden Dusk
Dimension	140mm x 23mm @ 5.4m
Weight	22 kg/m
Item number	SKU MDCEBGD
Profile	







MODULAR DECK

OUTDOORSY 7.25


SKU: MDCMDOUT725

Colours


Dimensions

	Sunshine Sands	2.9x2.5m
	Hinterland Mist	2.9x2.5m
	Forest Haven	2.9x2.5m
	Golden Dusk	2.9x2.5m


Decking Pattern Design Options




Picture Frame



Breaker Board




Linear (without butt joint)




Herringbone

Modular Deck Dimensions



Examples of Composition







MODULAR DECK

OUTDOORSY1.2


SKU: MDCMDOUT12

Colours


Dimensions

	Sunshine Sands	1x1.2m
	Hinterland Mist	1x1.2m
	Forest Haven	1x1.2m
	Golden Dusk	1x1.2m


Decking Pattern Design Options




Picture Frame



Breaker Board




Linear (without butt joint)




Herringbone

Modular Deck Dimensions



Examples of Composition





MY DECK SAW BLADES

CIRCULAR SAW BLADES

TOOL ACCESSORIES



IDEAL FOR



WOOD



Circular Saw Wood

	165mm	185mm
Blade diameter:	165mm	185mm
Tooth count:	20	20
Arbor:	20mm	20mm
Kerf:	2mm	2.2mm
Max rpm:	8500rpm	7500rpm
SKU:	MDTBCSW165	MDTBCSW185



IDEAL FOR



STEEL AND ALUMINIUM



Circular Saw Metal

	165mm
Blade diameter:	165mm
Tooth count:	48T
Material:	Premium hardened steel
Coating:	Teflon with silk-printed finish
Bore Size:	20mm
SKU:	MDTBCSM165



IDEAL FOR



WOOD



COMPOSITE



Plunge Saw

	165mm
Blade diameter:	165mm
Tooth count:	20
Bore:	20mm
Arbor:	20mm
Kerf:	2.2mm
Max rpm:	9500rpm
SKU:	MDTBPS165

SAW BLADES

TOOL ACCESSORIES



IDEAL FOR



WOOD



PLASTIC



Multi Tool

Bi-Metal Japanese

Material:	Premium carbide steel
Immersion Depth:	40mm
Dimensions:	32mm Wide
Overall Length:	90mm
Connection Type:	OIS (Oscillating Interface System)
SKU:	MDTBMTJ



IDEAL FOR



DEMOLITION CUTTING



Reciprocating Saw

225mm

Length:	225mm
Tooth count:	5/8 TPI
Material:	High performance carbide steel
Connection Type:	Universal reciprocating saw interface
SKU:	MDTBR225



IDEAL FOR



WOOD



COMPOSITE



Jigsaw

100mm

Blade Length:	100mm
Tooth Profile:	10 TPI
Shank Type:	T-Shank
Material:	Hardened steel
SKU:	MDTBJ100



MY DECK JOIST PROTECTION

JOIST PROTECTION

TOOL ACCESSORIES

Name	Joist Protection Tape
Dimension	20m x 50mm
Item number	MDJTET20

EASY TEAR TECHNOLOGY

Ideal for Professional Grade Protection:

- Deck joists and deck beams
- Protecting timber framing from moisture damage
- Deck building projects requiring long-lasting joist protection
- Tough surfaces where strong, reliable adhesion is needed

MATERIAL INFO

- Must be covered within 3 months of application to avoid UV damage
- Surface must be clean, dry and free of dust



WATERPROOF BARRIER



SELF-SEALING AROUND SCREWS



UV & WEATHER RESISTANT



Technical Details

Tensile Strength:	>5MPa (EN 12311-2)
Peel Adhesion:	12.5 N/cm
Driving Rain Tightness:	No Water 600 Pa (EN 1027)
Water Tightness:	No Leaks (EN 1928)
Air Tightness:	>600 Pa (EN 1026)
Sd Value:	>0.75m
Service Temperature:	- 10°C to 80°C
Application Temperature:	5°C to 35°C

KEY BENEFITS

LONG-LASTING PROTECTION

EASY TEAR

WEATHER-RESISTANT



MY DECK BITS & TIPS

BITS & TIPS

TOOL ACCESSORIES



IDEAL FOR



CONCRETE, BRICK
AND MASONRY

Masonry Drill 12mm

12mm	
Material:	Premium grade tungsten carbide steel
Drill Bit Size:	12mm
Flute Length:	120mm
Overall Length:	210mm
SKU:	MDTDM12



IDEAL FOR



CONCRETE, BRICK
AND MASONRY

Masonry Drill 14mm

14mm	
Material:	Premium grade tungsten carbide steel
Drill Bit Size:	14mm
Flute Length:	120mm
Overall Length:	210mm
SKU:	MDTDM14



IDEAL FOR



WOOD



PLASTIC

Spade Drill

12mm	
Material:	Premium hardened steel
Drill Bit Size:	12mm
Overall Length:	150mm
SKU:	MDTDS12



IDEAL FOR



HARD & SOFT WOOD



PLASTIC



STEEL AND ALUMINIUM

Long Drill 200mm

12mm	
Material:	Premium High-Speed Steel
Drill Bit Size:	12mm
Point:	118° Split Point
Flute Length:	130mm
Overall Length:	200mm
SKU:	MDTDL12

BITS & TIPS

TOOL ACCESSORIES



IDEAL FOR



COMPOSITE CLIP &
SCREW

Insert Bit

T15 - 50mm

Material: S2 Hardened Steel

Sizes: T15

Length: 50mm

Finish: 90mm

Connection Type: Anti-corrosion coating

SKU: MDTDIT15



IDEAL FOR



COLOUR MATCH SCREWS

Insert Bit

T20 - 50mm

Material: S2 Hardened Steel

Sizes: T20

Length: 50mm

Finish: Anti-corrosion coating

SKU: MDTDIT20



IDEAL FOR



BATTEN SCREWS

Batten

5mm Hex Bit 50mm long

Material: S2 Hardened Steel

Sizes: Hex 5

Length: 50mm

Finish: Anti-corrosion coating

SKU: MDTDB50



MY DECK
FIXINGS

FIXINGS

TOOL ACCESSORIES



IDEAL FOR
QTY 100 TIMBER



IDEAL FOR
QTY 100 TIMBER

Screws

	Batten screws 75	Batten screws 100
Specifications:	14 Gauge x 75mm	75mm
Material:	316 Marine Grade Stainless Steel	14g
Screw Length:	75mm	100mm
Screw Length:	14g	14g
Head Diameter:	14mm	14mm
Driver Type:	Hex 5	Hex 5
Point Type:	Type 17 Wood	Type 17 Wood
Head Type:	Bugle Head	Bugle Head
SKU:	MDFS316SSB75	MDFS316SSB100



IDEAL FOR
QTY 100 CONCRETE, BRICK,
BLOCK & MASONRY



IDEAL FOR
QTY 100 TIMBER

	Concrete screws	Decking screws
Specifications:	7.5mmX100mm	4.8mmX60mm
Material:	Ruspert Coated Carbon Steel	316 Marine Grade Stainless Steel
Screw Length:	100 mm	60 mm
Screw Size / Skrew Gauge:	7.5mm	10g
Head Diameter:	11mm	9mm
Driver Type:	Torx 30	Torx 25
Point Type / Head Type:		Type 17 Wood / Countersunk Head
Effective Anchor Depth:	30mm	
Recommend Tension / Shear Load (25MPa):	1.2kN / 0.8kN	
SKU:	MDFSC100	MDFS316SSD60

FIXINGS

TOOL ACCESSORIES



IDEAL FOR

QTY 1KG TIMBER FRAMING

Nails

316 Stainless Steel Connector

Specifications:	30mm x 2.8mm
Material:	316 Marine Grade Stainless Steel
Nail Length:	30mm
Nail Width:	2.8mm
Nail Type:	Connector Nail
SKU:	MDFN316SSC



IDEAL FOR

55 SPACING COMPOSITE DECKING



IDEAL FOR

55 SPACING COMPOSITE DECKING

Clips

	Pinch & Screw	T (plastic) & Screw
Specifications:	20mmX15mm	40mmX15mm
Material:	304 Stainless steel screw & clip	UV-stabilised plastic clip & 304 stainless steel screw.
Screw Length:	35mm	35mm
Board Gap Width:	5mm	5mm
Clip Type:	Pinch design for secure grip.	T-shaped design. Designed to allow movement with expansion and contraction.
Finish:	Black, corrosion-resistant, suited to coastal environments.	Black UV-stabilised plastic for outdoor use.
SKU:	MDFCP&S	MDFCT&S

FIXINGS

TOOL ACCESSORIES



QTY 100 **IDEAL FOR** MARINE & COASTAL ENVIRONMENTS

Washers & Nuts

	316 Stainless Steel Nut	312 Stainless Steel Washers
Specifications:	M12	M12
Material:	316 Marine Grade Stainless Steel	316 Marine Grade Stainless Steel
Internal Diameter:	M12 / 12mm	M12 / 12mm
Nut / Washer External Width:	19mm	25mm
Nut / Washer Height:	10mm	3mm
SKU:	MDFWN316SSN12	MDFWN316SSW12



QTY 1 **IDEAL FOR** MARINE & COASTAL ENVIRONMENTS

Dynabolts

	316 Stainless Steel	316 Stainless Steel
Specifications:	M12 x 70mm	M12 x 125mm
Material:	316 Marine Grade Stainless Steel	Marine Grade Stainless Steel
Anchor Diameter:	12mm	12mm
Drill Size:	12mm	12mm
Length:	70mm	125mm
Finish:	Stainless Steel 316	Stainless Steel 316
Effective Anchor Depth:	40mm	75mm
Thread Size:	M10	M10
Recommend Tension Load 32MPa (90mm embedment):	9.2kN	9.2kN
SKU:	MDFD316SS70	MDFD316SS125

CHOSEN BY EXPERTS, BUILT FOR **PRECISION**



SHOP NOW



Contact Us

0400048725

info@mydeck.com.au

www.mydeck.com.au